

PREMIUM TACTICAL LIGHTING SOLUTIONS

SPRING 2021
Powertac.com

CONTENT

PISTOL LIGHTS	1
TACTICAL LIGHTS	2
EDC LIGHTS	10
HEADLAMP	15
KEY CHAIN & PEN LIGHT	.16
SEARCH & RESCUE LIGHTS	20
WEAPON KIT	. 25
ACCESSORIES	27

PL-Series

MARK MINI

COMPACT & MULTI-PLATFORM COMPATIBLE PISTOL LIGHT

The Mark Mini offers the highest quality weapon mounted light. Compact in size but large on functionality and brightness. The versatility of having this unit means it's not limited to one platform but can be utilized on many others. When the mission is hinged on the equipment not failing you out in the real world, the Mark Mini should be your first and only choice.

- ► High Output & Long throw.
- ► Compact Size.
- ► Quick detach rail mount.
- ➤ Sliding rail between the light and the picatinny rail: allows for custom positioning on pistols of all sizes.

Battery: Built in rechargeable Li-Polymer battery pack

Size: 53.85(L)*33.2(W)*28.75(H)mm

Weight: 69.6g

Illumination: 600 LM/1.47hrs

FL1 STANDARD
600
LUMENS











All performance data are results of testing to ANSI / NEMA FL1-2019 Standards









BLUE:BATTERY CHARGING: FULL

- MARK MINI
- PICATINNY RAIL MOUNT
- 1913 & GL (Mounted) BARS
- 2 SOCKET HEAD ALLEN WRENCH
- MAGNETIC CHARGING CABLE
- INSTRUCTION MANUAL



(X-TRA LONG THROW) RECHARGEABLE FLASHLIGHT

The HUNTSMAN-XLT is the latest long throw variant in our successful series. With a range of 1000 meters, the HUNTSMAN-XLT is excellent for scanning at long distances. It is perfect for long range applications, like hunting, law enforcement and military use. HUNTSMAN-XLT is USB rechargeable with either the provided magnetic cable or through a micro USB cable.

Battery: (1) 21700 Rechargeable Li-ion

or (1)18650(Rechargeable) High Discharge Lithium Ion

NOT compatible with RCR123A / 16340

Length: 186 mm

Bezel Diameter: 45mm Body Diameter: 26.5 mm

Weight: 206g (without battery)

Illumination:

 Firefly
 Low
 Medium
 High

 7 Lumens
 60 Lumens
 260 Lumens
 690 Lumens

 20 days
 24.6 hrs
 5.5 hrs
 3.2 hrs
 Firefly 20 days

1200 Lumens 3 hrs

1200 Lumens 4 5 hrs














All performance data are results of testing to ANSI / NEMA FL1-2019 Standards











- 1. MICRO WATERPROOF USB PORT (INCLUDED)
- 2. MAGNETIC CHARGE PORT (INCLUDED)







- HUNTSMAN-XLT FLASHLIGHT
- USB- Magnetic Cable
- 21700-5000 mAh Battery
- NYLON HOLSTER
- SPARE O-RINGS
- RETAINING RING
- LANYARD
- INSTRUCTION MANUAL



(LONG THROW) RECHARGEABLE FLASHLIGHT

The HUNTSMAN-LT is another great option for Long Throw variants. With a range of 580 meters, the HUNTSMAN-LT is excellent for scanning at long distances. It is perfect for long range applications, like hunting, law enforcement and military use. HUNTSMAN-LT is USB rechargeable with either the provided magnetic cable or through a micro USB cable.

Battery: (1) 21700 Rechargeable Li-ion

or (1)18650(Rechargeable) High Discharge Lithium Ion

NOT compatible with RCR123A / 16340

Size: Length:156mm

Bezel Diameter: 29mm Body Diameter: 26.5 mm

Weight: 117g (without battery)

Illumination:

Low Firefly

Medium

7 Lumens 90 Lumens 350 Lumens 880 Lumens 20 days 20 hrs 4.6 hrs 2.95 hrs

Turbo 1500Lumens 2 8hrs

1500Lumens 4 3 hrs













All performance data are results of testing to ANSI / NEMA FL1-2019 Standards









2. MAGNETIC CHARGE PORT (INCLUDED)

1. MICRO WATERPROOF USB PORT (INCLUDED)







KIT INCLUDES

580 METERS

- HUNTSMAN-LT FLASHLIGHT
- USB- Magnetic Cable
- 21700-5000 mAh Battery
- NYLON HOLSTER
- SPARE O-RINGS
- LANYARD
- INSTRUCTION MANUAL



(LONG THROW) RECHARGEABLE WEAPON MOUNTED TACTICAL FLASHLIGHT

The HUNTSMAN is the latest long throw low profile rifle light with Picatinny/M-lok mount built in. With a range of 510m, the HUNTSMAN is excellent for scanning at long distances. It is perfect for modern tactical rifles. It is the ultimate choice for hunters, law enforcement and military applications. HUNTSMAN is USB rechargeable with either the provided magnetic cable or through a micro USB cable.

Battery: (1)18650(Rechargeable) High Discharge Lithium Ion

or (2) CR123A

NOT compatible with RCR123A / 16340

Size: Length:150mm

Bezel Diameter: 29mm Body Diameter: 23.5mm

Weight: 112g (without battery)

Illumination:

Firefly Low

7 Lumens | 95 Lumens |

338 Lumens 3.15 hrs

Medium

860 Lumens

1200Lumens 1.75hrs

Turbo

1200Lumens 2.62 hrs

All performance data are results of testing to ANSI / NEMA FL1-2019 Standards





















CHARGING OPTIONS

- 1. MICRO WATERPROOF USB PORT (INCLUDED)
- 2. MAGNETIC CHARGE PORT (INCLUDED)







- HUNTSMAN FLASHLIGHT
- USB- Magnetic Cable
- 18650-3200 mAh High Discharge Battery REMOTE PRESSURE SWITCH
- NYLON HOLSTER
- SPARE O-RINGS
- LANYARD
- INSTRUCTION MANUAL



WARRIOR G4-FL

COMPACT / TACTICAL FLASHLIGHT

The Warrior G4-FL is the latest "duty" light variant in the Warrior series and is the perfect companion for law enforcement G4-FL produces 4200 lumens of bright light and provides unparalleled situational awareness when working a traffic stop or searching the neighborhood. It has 5 brightness settings plus strobe for maximum flexibility and features USB micro and USB magnetic charging capabilities.

Battery: (2) CR123A or (1) 18650 High Discharge Rechargeable Li-ion.

NOT COMPATIBLE WITH RCR123A / 16340

Size: Length:151.9 mm

Bezel Diameter: 36.5 mm Body Diameter: 25.4 mm

Weight: 152g (without battery)

Output / Runtime:

Low Medium High **Turbo Strobe** Firefly 0.72 Lumens 95 Lumens 333 Lumens 1430 Lumens 4200 Lumens 4200 Lumens 5.06 hrs 1.23 hrs 1.23 hrs 2.09 hrs 60 days 15 hrs

FL1 STANDARD 4200 LUMENS











All performance data are results of testing to ANSI / NEMA FL1-2019 Standards

214 METERS FIELD OF VIEW

CHARGING OPTIONS

- 1. MICRO WATERPROOF USB PORT (INCLUDED)
- 2. MAGNETIC CHARGE PORT (INCLUDED)

- WARRIOR GEN4 FL FLASHLIGHT
- MOULDED PLASTIC HOLSTER
- 18650 3200 mAh HIGH DISCHARGE BATTERY
- USB TO MAGNETIC CHARGING CABLE
- LANYARD
- REPLACEMENT O-RINGS



DUTY / TACTICAL FLASHLIGHT

The Powertac E9R-G4 is perhaps the best all around "duty" light on the market today. It features a one handed operation to control five brightness levels and has a direct to strobe function. The 2550 lumen output is blinding and the beam is wide enough for superior situational awareness. E9R-G4 is magnetic cable USB rechargeable for convenience. Small size, superior performance and long runtime makes the E9R-G4 a favorite of police officers.

- MAGNETIC CHARGE PORT
- AGGRESSIVE KNURLING
- MOULDED PLASTIC HOLSTER

(2) CR123A or (1) 18650 High Discharge Rechargeable Li-ion. Battery:

NOT COMPATIBLE WITH RCR123A / 16340

Size: Length:138.6mm

Bezel Diameter: 25.4mm Body Diameter: 23mm

Weight: 85g (without battery)

Output/Runtime:

Battery	Firefly	Low	Medium	High	Turbo	Strobe
1 x 18650 (3.6V) (High Discharge) Rechargeable Battery	.64 Lumens 50 days	71 Lumens 20.9 hrs	270 Lumens 5.7 hrs	1135 Lumens 2.11 hrs	2550 Lumens 2.02 hrs	790 Lumens 4.81 hrs
2 x CR123A (3.0V)	.64 Lumens 48 days	71 Lumens 10.68 hrs	270 Lumens 4.2 hrs	980 Lumens 1.24 hrs		790 Lumens 4.4 hrs













All performance data are results of testing to ANSI / NEMA FL1-2019 Standards

197 METERS



PHONE: 919.239.4470

CHARGING OPTIONS

- 1. MICRO WATERPROOF USB PORT (INCLUDED)
- 2. MAGNETIC CHARGE PORT (INCLUDED)







KIT INCLUDES

• E9R-G4 FLASHLIGHT

MOULDED PLASTIC HOLSTER

• 18650 3200 mAh HIGH DISCHARGE BATTERY

USB TO MAGNETIC CHARGING CABLE

LANYARD



UV DOCUMENT VERIFICATION/ TACTICAL FLASHLIGHT

The Powertac E9R-UV is the result of a request from an overseas national police force that needs a standard issue duty light that also had a secondary document verification UV light built in. Perfect for security personnel, the E9R-UV makes quick work of checking and verifying IDs.

- UV DOCUMENTATION VERIFICATION
- HIGH OUTPUT COMPACT DUTY LIGHT
- AGGRESSIVE KNURLING



Battery: (2) CR123A or (1) 18650 Rechargeable Li-ion.

NOT COMPATIBLE WITH RCR123A / 16340

Size: Length:133mm

Bezel Diameter: 25.4mm Body Diameter: 23mm

73g (without battery) Weight:

Output / Runtime:

Mode: High Strobe Low Isos Output: 1100 lm 1100 lm 160 lm 1100 lm 3.4 hrs Runtime 1: 1.7 hrs 9 hrs 3 hrs

(18650-2600mAh)

Runtime 2: 4.4 hrs 8.8 hrs 11.8 hrs 7.3 hrs

(2*CR123A)














All performance data are results of testing to ANSI / NEMA FL1-2019 Standards







- E9R-UV FLASHLIGHT
- MOULDED PLASTIC HOLSTER
- 18650 2600 mAh BATTERY
- Micro USB CHARGING CABLE
- LANYARD



CADET-G4 TACTICAL / EDC FLASHLIGHT

The Powertac Cadet G4 high-powered compact tactical light. At 3.57 inches in length, Cadet is the go to light for operators that need a high output light without the extra size and weight. The user friendly functionality includes a push button tail cap for ON/OFF, and a side selector button to adjust the brightness levels. Whether EDC or weapon mounted, the Cadet G4 is the optimal choice with super compact size and big performance.

- SUB COMPACT SIZE
- DOUBLE LOOP STYLE CLIP
- DUAL BUTTON OPERATION

Battery: (1) RCR123A/16340 Rechargeable Li-ion

or (1)CR123A.

Size: Length: 90.8mm

Bezel Diameter: 25.4mm Body Diameter: 22.56mm

Weight: 60g(without battery)

Output/Runtime:

Output/Num	Output Nantine.							
	Firefly	Low	Medium	High	Turbo	Strobe		
RCR123A					1030 Lumens	1030 Lumens		
	15Days	20 hrs	3.25 hrs	0.68 hrs	0.55 hrs	1.05 hrs		
CR123A	20Days	36 hrs	6.5 hrs	2.6 hrs		3.9 hrs		














All performance data are results of testing to ANSI/NEMA FL1-2019 Standards











- CADET G4 FLASHLIGHT
- RCR123A BATTERY
- MAGNETIC CHARGING CABLE
- LANYARD
- SPARE O-RINGS
- INSTRUCTION MANUAL





2AA PORTABLE TACTICAL AND EDC FLASHLIGHT

The PowerTac Valor is a NEW AA powered LED flashlight that turns out a super bright 800 lumens. The Valor is fitted with a CREE LED and is able to shoot a beam out up to 138 meters. It is easy to operate with tail switch and side switch. Removeable stainless steel Bidirectional clip. Measuring in at just under 6", the Valor is machined from aero-grade aluminum alloy, with a military grade hard-anodized finish, making it lightweight and very durable. Being IPX-8 rated waterproof, it will be your best choice for both EDC and Tactical use.

- SIMPLE ON/OFF BUTTON
- SECONDARY MODE BUTTON
- 4 LIGHT MODES+STROBE

Battery: (2)AA Lithium (1.5V)/Ni-MH/AL	ıkııne
--	--------

Size: Length: 149.5 mm

Bezel Diameter: 25.4 mm Body Diameter: 19 mm

Weight: 68.25g (without battery)

Illumination:

Battery	Firefly	Low	Medium	High	Strobe
Ni-MH	0.53LM	97LM	358LM	800LM	800LM
AA-2450mAh(1.2V)*2	100days	16hrs	2.83hrs	1.1hrs	1.75hrs
Alkline	0.41LM	96LM	350LM	650LM	650LM
AA(1.5V)*2	100days	15.7hrs	2.1hrs	0.95hrs	1.51hrs
Lithium	0.41LM	93LM	366LM	750LM	750LM
AA(1.5V)*2	120days	26.3hrs	5.8hrs	1.7hrs	2.8hrs













All performance data are results of testing to ANSI/NEMA FL1-2019 Standards





COMPACT EDC MULTI-USE FLASHLIGHT

The Powertac E11 is an affordable, EDC/tactical flashlight designed for everyday use. It is compact in size and delivers a whopping 1250 lumens of light. The E11 features 5 power settings plus strobe. E11 uses a Type C USB cable to recharge and comes with an 18650 battery included. E11 also has a long 2.8 hour runtime on turbo.

- REAR BUTTON TAIL CAP
- XTREME-GRIP
- TWO BUTTON SYSTEM
- REVERSIBLE CLIP
- LOW BATTERY INDICATOR

ILLUMINATION FUNCT

18650	Mode:	Firefly	Low	Medium	High	Turbo	Strobe
(2600 mAh)	Max Output:	1 lm	80lm	200lm	550 lm	1250 lm	1250 lm
	Runtime:	20Days	15 hrs	5.5 hrs	4.2 hrs	2.8 hrs	2 hrs
	Max Output:	1 lm	80 lm	200lm			
(3V)	Runtime:	200 hrs	12 hrs	4 hrs			

Battery: (1) 18650 Rechargeable Li-ion. OR(2)CR123A NOT compatible with RCR123A/16340

Size: Length:127mm Bezel Diameter: 26mm Body Diameter: 23mm

Weight: 74g (without battery)

1250 LUMENS











All performance data are results of testing to ANSI / NEMA FL1-2019 Standards



RED:

LOW VOLTAGE INDICATOR
BATTERY CHARGING: NOT FULL



BLUE:

BATTERY CHARGING: FULL

- E11 FLASHLIGHT
- 18650-2600 mAh BATTERY
- TYPE C CHARGING CABLE
- LANYARD
- SPARE O-RINGS
- INSTRUCTION MANUAL





COMPACT EDC MULTI-USE FLASHLIGHT

The Powertac E12 is an affordable, EDC flashlight designed for everyday use. It is compact in size and delivers a whopping 1250 lumens of light. The E12 features 5 power settings plus strobe. E12 uses a Type C USB cable to recharge and comes with an 18650 battery included. E12 also has a long 2.8 hour runtime on turbo.

- XTREME-GRIP
- ONE BUTTON SYSTEM
- REVERSIBLE CLIP
- LOW BATTERY INDICATOR

ILLUMINATION F	UNCTIONS							
18650	Mode:	Firefly	Low	Medium	High	Turbo	Strobe	
(2600 mAh)	Max Output:	1 lm	80lm	200lm	550 lm	1250 lm	1250 lm	
	Runtime:	20Days	15 hrs	5.5 hrs	4.2 hrs	2.8 hrs	2 hrs	
2 x CR123A	Max Output:	1 lm	80 lm	200lm				
(3V)	Runtime:	200 hrs	12 hrs	4 hrs				
Battery: (1) 18650 Rechargeable Li-ion. OR(2)CR123A NOT compatible with RCR123A/16340 ———————————————————————————————————								
Size:	Length:1 Bezel Dia Body Dia	meter: 2						

All performance data are results of testing to ANSI / NEMA FL1-2019 Standards











- E12 FLASHLIGHT
- 18650-2600 mAh BATTERY
- TYPE C CHARGING CABLE
- LANYARD
- SPARE O-RINGS
- INSTRUCTION MANUAL



RED: LOW VOLTAGE INDICATOR BATTERY CHARGING: NOT FULL







COMPACT USB RECHARGEABLE FLASHLIGHT

The Powertac E10R-G4 is a subcompact high-output utility EDC flashlight with multiple charging options. At just over 3.33 inches in length, this light is perfect for pocket carry, and ideal to be a head light with a baseball cap. Featuring a magnetic tail cap, the light can stick to any ferromagnetic surface. It is loved by mechanics, tradesmen and industrial workers for its versatility.

- SINGLE RCR123A OR CR123A
- MAGNETIC TAIL CAP
- MAGNETIC CHARGING PORT
- SUB COMPACT DESIGN

Battery: (1) RCR123A/16340 Rechargeable Li-ion

or (1)CR123A.

Size: Length: 84.6mm

Bezel Diameter: 25.4mm Body Diameter: 22.56mm

Weight: 60g(without battery)

Output/Runtime:

Output Nume.								
	Firefly	Low	Medium	High	Turbo	Strobe		
RCR123A	0.3 Lumens				1030 Lumens	1030 Lumens		
	15Days	20 hrs	3.25 hrs	0.68 hrs	0.55 hrs	1.05 hrs		
CR123A	20Days	36 hrs	6.5 hrs	2.6 hrs		3.9 hrs		














All performance data are results of testing to ANSI/NEMA FL1-2019 Standards







- E10R G4 FLASHLIGHT
- RCR123A BATTERY
- MAGNETIC CHARGING CABLE
- LANYARD
- SPARE O-RINGS
- INSTRUCTION MANUAL





COMPACT EDC MAGNETIC CHARGING FLASHLIGHT

The Powertac M5 is an affordable, EDC/tactical flashlight designed for everyday use. It is compact in size and delivers a whopping 1300 lumens of light. The M5 features 5 power settings plus strobe. M5 uses a magnetic USB cable to recharge and comes with an 18650 battery included. M5 also has a long 2.6 hour runtime on turbo.

- REAR BUTTON TAIL CAP
- XTREME-GRIP
- TWO BUTTON SYSTEM
- REVERSIBLE CLIP
- LOW BATTERY INDICATOR

Batte	ery:	(1) 18650 Rechargeable Li-ion (NOT compatible with RCR123A/16340)							
Size: Length: 123.75 mm Bezel Diameter: 25.4 mm Body Diameter: 23 mm									
Weig	Weight: 65g (without battery)								
Output / Runtime:									
1 X (260)	18650 0 mAh)	Mode: Max Output: Runtime:	Firefly .51 lm 25 Days	Low 50 lm 25 hrs	Medium 180 lm 10.5 hrs	High 480 lm 2.97 hrs	Turbo 1300 lm 2.6 hrs	Strobe 1300 lm 3 hrs	
2 x C	R123A	Max Output:	.51 lm	50 lm	180 lm				













All performance data are results of testing to ANSI / NEMA FL1-2019 Standards

450 hrs 8.1 hrs 6.2 hrs



Runtime:

RED: LOW VOLTAGE INDICATOR BATTERY CHARGING: NOT FULL



BATTERY CHARGING: FULL



KIT INCLUDES

(3V)

- (1) M5 FLASHLIGHT
- (1) MAGNETIC CHARGE CABLE
- (1) 18650-2600mAh Battery
- REPLACEMENT O-RINGS





UTILITY MAGNETIC RECHARGEABLE FLASHLIGHT

The M6 is the companion product to the M5 and shares many of the M5's features. M6 does have one added feature -a magnetic tail cap, which allows it to be suspended from ferromagnetic surfaces. This added feature makes the M6 a favorite of mechanics and tradesmen that work around metal objects and often require hands free lighting. M6 is the perfect EDC flashlight for the working man and perfect for the glovebox of any vehicle.

- MAGNETIC TAIL CAP
- XTREME-GRIP
- ONE BUTTON SYSTEM
- REVERSIBLE CLIP
- LOW BATTERY INDICATOR

Dallery.	
Size:	Length: 111.4 mm
	Bezel Diameter: 25 4 mm

Bezel Diameter: 25.4 mm Body Diameter: 23 mm

Weight: 60g (without battery)

Output / Runtime:

1 X 18650 (2600 mAh)	Mode: Max Output: Runtime:	.51 lm		Medium 180 lm 10.5 hrs	Turbo 1300 lm 2.6 hrs	
	Max Output: Runtime:		50 lm 8.1 hrs	180 lm 6.2 hrs	 —	













All performance data are results of testing to ANSI / NEMA FL1-2019 Standards



RED: LOW VOLTAGE INDICATOR BATTERY CHARGING: NOT FULL



BLUE: BATTERY CHARGING: FULL



- (1) M6 FLASHLIGHT
- (1) MAGNETIC CHARGE CABLE
- (1) 18650-2600mAh Battery
- REPLACEMENT O-RINGS



HL-IOEXPLORER

MULTI-USE RECHARGEABLE HEADLAMP SYSTEM

The HL-10 is a high performance headlamp with two separate light apertures. The first aperture (Mode 1) is the 2500 lumen main lamp w/ 4 light settings, SOS, and strobe. The second aperture (Mode 2)emits a diffused red light, diffused white light and an IR 850nm light for use with night vision equipment. The Mode 2 lights can also be run either in the constant on, strobe or SOS modes. The HL-10 is rechargeable via magnetic USB cable and uses the "J" mount system for attachment to the included headband or to other compatible mounts.

- J-HOOK BUCKLE ATTACHMENT SYSTEM
- MAGNETIC CHARGING
- FLOOD / DIFFUSED LIGHT MODE
- FOCUSED LIGHT MODE



FOCUSED LIGHT (MODE 1)

ILLUMINATION FUNCTIONS

Mode:	Low !	Medium _!	High !	Turbo !	Strobe !	S.O.S.
Max Output:	20 lm	300 lm	1180 lm	2500 lm	2500 lm	2500 lm
Runtime:	2.78 days	4.95 hrs ¦	1.6 hrs 🚶	1.53 hrs ¦	2 hrs	2 hrs

FLOOD / DIFFUSED LIGHT (MODE 2) ILLUMINATION FUNCTIONS

Mode:	On	Strobe	S.O.S.
White Output:	150 lm	150 lm	150 lm
White Runtime:	6.4 hrs	12.8 hrs	12.8 hrs
Red Output:	625 nm	625 nm	625 nm
Red Runtime:	7 hrs	14 hrs	14 hrs
IR Output:	850 nm	850 nm	850 nm
IR Runtime:	9.75 hrs	19.5 hrs	19.5 hrs

Battery: (1) 18650-3200 mAh High Discharge

Rechargeable Li-ion.

NOT compatible with RCR123A/16340

Size: Length: 79 mm

Width: 24.5 mm Height: 49.5 mm

Weight: 111g (without battery and straps)

MODE2 150 LUMENS FL 1 STANDARD MODE1 204












All performance data are results of testing to ANSI / NEMA FL1-2019 Standards

- (1) HL-10 HEADLAMP
- (1) MAGNETIC CHARGE CABLE
- (1)18650-3200 mAh HIGH DISCHARGE LI-ION BATTERY
- REPLACEMENT O-RINGS







The Powertac E3-G4 is a compact and bright AAA powered key chain light. It is perfect for everyday carry.

- RUNS ON COMMON AAA BATTERY
- 1 CELL CONFIGURATION
- SIMPLE INTERFACE

Battery: (1) AAA Battery (Not Compatible with Li-ion)

Size: Length:79mm

Bezel Diameter: 14.5mm Body Diameter: 14.5mm

Weight: 22g (without battery)

Illumination:	168 Lumens	50 Lumens	168 Lumens	
	.6 hrs	1.7hrs	(Strobe)	
			1.2 hrs	














All performance data are results of testing to ANSI / NEMA FL1-2019 Standards



- E3 GEN4 FLASHLIGHT
- REPLACMENT O-RINGS



SABREGEN2

The Powertac Sabre is a compact and bright AAA powered penlight. It is perfect for EDC or for use as a secondary light for law enforcement. Sabre features a protective sleeve to protect teeth when using hands free and can be converted to one battery use by simply removing a barrel section

- RUNS ON COMMON BATTERIES
- 1 OR 2 CELL CONFIGURATION
- NO TEETH CHIP RUBBER
- SIMPLE INTERFACE

Battery: 1 or 2 AAA - Alkaline, NiMh

(Batteries Not Included)

Size: Length: 121.5 mm

Body Diameter: 14.5 mm

Weight: 30g (without battery)

Output / Runtime:

	High	Low	Strobe
2 X AAA	239 Lumens	77 Lumens	239 Lumens
	0.8 hrs	2.2 hrs	1.6 hrs
1 X AAA	168 Lumens	50 Lumens	168 Lumens
	0.6 hrs	1.7 hrs	1.2 hrs














All performance data are results of testing to ANSI / NEMA FL1-2019 Standards

CAN BE BROKEN DOWN TO BE USED AS A 1 CELL CONFIGURATION



- (1) SABRE GEN2 FLASHLIGHT
- REPLACMENT O-RINGS



SCHOLAR

AAA EXECUTIVE / TACTICAL FLASHLIGHT PEN

The Powertac Scholar is an executive pen light that serves as an everyday writing pen and a tactical 140 lumen flashlight. Scholar is the perfect companion for private security details, home inspectors, police officers and others looking to reduce pocket clutter. Made of strong aircraft aluminum, Scholar can also double as a personal defense item in competent hands.

- REPLACEABLE BALL POINT FILL
- 140 LUMEN LIGHT
- LIGHTWEIGHT DESIGN

Battery: (1) AAA - AlKaline, NiMh

Size: Length: 153 mm

Body Diameter: 14.5 mm

Weight: 35g (without battery)

Output / Runtime:

Low High Strobe
3 Lumens 140 Lumens 140 Lumens
33 hrs .6 hrs 1.2 hrs

140 LUMENS











All performance data are results of testing to ANSI / NEMA FL1-2019 Standards



PAPALIMA

PILOT / NIGHT OPERATOR FLASHLIGHT

The Papa Lima pilot light is the perfect lighting solution for night time aviation and while using NVGs. The light can operate in white, red or IR modes. The white light mode is purposely locked out until the control button is held down for more than two seconds so as to protect from accidental white light discharge while using NVGs or while preserving night vision. Runs on 2 AA batteries.

- COMMON AA BATTERIES
- MULTI COLOR OUTPUT
- SIMPLE USAGE
- MOMENTARY SWITCH ACTIVATION

Battery: (2) AA - Alkaline, NiMh

Size: Length: 136.8 mm

Body Diameter: 18.2 mm

Weight: 45g (without battery)

Color Lumens Max Time Distance
White 50 Lumens 4.5 Hrs 15.5 m
Red 20 Lumens 6.1 Hrs IR - 7.32 hrs -

All performance data are results of testing to ANSI / NEMA FL1-2019 Standards













PACKAGE INCLUDES

- (1) PILOT FLASHLIGHT
- REPLACMENT O-RINGS



PATROL / SEARCH FLASHLIGHT

The Patrolman is Powertac's new entry in the full size "patrol" light category. The large aluminum body of the Patrolman allows for a traditional underarm hold. Patrolman, With its steel tail cap and knurled strike bezel, the Patrolman is also the perfect tool for removing window glass from a vehicle. It features a simple two button interface and magnetic charging capability. The 4200 lumen bright light is the perfect compromise for excellent situational awareness and impressive long

- X-TREME LIGHT OUTPUT
- EASY USE INTERFACE
- LONG THROW
- AGGRESSIVE KNURLING FOR NONSLIP GRIP
- MAGNETIC CHARGING SYSTEM

range performance.

Battery: (2) 32650 - 6500mAh Li-ion Battery Pack

Length: 268mm Size:

> Bezel Diameter: 63.5 mm Body Diameter:37.5mm

Weight: 798g (without battery)

Output / Runtime:

Low 155 Lumens 56 hrs 13 hrs

Medium 610 Lumens

High 4200 Lumens 3.78 hrs

Strobe 1820 Lumens 6.4 hrs

S.O.S. 1820 Lumens 6.4 hrs













All performance data are results of testing to ANSI / NEMA FL1-2019 Standards

KIT INCLUDES

- (1) PATROLMAN LE-10X FLASHLIGHT
- (1) 100-240V MAGNETIC CHARGER
- REPLACEMENT O-RINGS



New Magnetic Charge Port









LONG THROW / SEARCH FLASHLIGHT

Powertac's Watchdog ODXLT is designed for extra-long throw and can reach out 1050 meters. Watchdog is excellent for long range/airborne search, security at large installations, rural law enforcement and military applications. It is also a favorite of many sportsmen who utilize the built-in array of colored LEDs. The LED array can be used to conserve night vision (red), not spook animals (green) and for tracking purposes (blue). There is also an LED(blue and red) flashing sequence for Law enforcement use.

- X-TRA LONG THROW
- AGGRESSIVE KNURLING
- MULTI-COLOR LED (RED, GREEN, BLUE)

Battery: (2) 32650 - 6500mAh Li-ion Battery Pack

Size: Length: 267.3mm

Bezel Diameter: 80mm Body Diameter: 37.4mm

Weight: 888g(with battery)

Output / Runtime:

White Focused Light:

Low Medium **S.O.S. Firefly** High Strobe 2300 Lumens 2300 Lumens 10 Lumens 160 Lumens 760 Lumens 2300 Lumens 2.96HRS 14 Days 28.4HRS 5.32HRS 6hrs 6 hrs

Color Diffused Light:

Red White Blue Green 180 Lumens 50 Lumens / 630nm 140 Lumens / 530nm 30 Lumens / 460nm 12 hrs

14 hrs 12 hrs 12 hrs













All performance data are results of testing to ANSI / NEMA FL1-2019 Standards



COMPACT MULTI-COLORED FLOOD LIGHT

The Pathfinder G2 is an ultra-high performance rechargeable light. It produces over 12,000 lumens of bright light with a range of 468 meters. The body of the Pathfinder contains a cooling fan that allows it to be used on its highest setting without stepping down output due to overheating. Similar to the Watchdog, the Pathfinder also has a Colored LED array and LED flashing (blue and red) sequence program for law enforcement. It can also be used as a battery bank.

- MULTI COLOR LED
- COMPACT FLOOD LIGHT
- AGGRESSIVE KNURLING
- CAN BE USED AS A BATTERY BANK

Battery: Custom 4 Cell 18650 (3400mAh)

Size:

Length: 184 mm

Bezel Diameter: 63.5 mm Body Diameter: 50 mm

779g (with battery) Weight:





LE STROBE OPTION

FL1 STANDARD 12000 **LUMENS**











Output / Runtime:					
	Low	Medium	High	Strobe	S.O.S.
White Output	680 Lumens	4350 Lumens	12000 Lumens	12000 Lumens	12000 Lumens
White Runtime	9.55 hrs	1.53 hrs	1.1 hrs	2.2 hrs	2.2 hrs
		İ			
Red Output	_ ¦	_ ;	105 Lumens	105 Lumens	
Red Runtime	- ;	_ ;	15 hrs	30 hrs	
Green Output	- !	_	170 Lumens	170 Lumens	
Green Runtime	_ i	_	15 hrs	30 hrs	
Blue Output	_	_	170 Lumens	170 Lumens	
Blue Runtime	_	_ :	15 hrs	30 hrs	

All performance data are results of testing to ANSI / NEMA FL1-2019 Standards





EXTREME SEARCH AND RESCUE LIGHT

The X10K is Powertac's most powerful handheld flashlight and combines the wide beam of a bright light with the long throw of a spotlight to provide an unparalleled wide and deep field of view. The X10K is currently serving in the Middle east and in the deserts of the American - SIMPLE INTERFACE South West where it excels as a long-range search light for motorized patrols. It is rechargeable and also functions as a battery bank. The X10K uses an internal fan for cooling and can run at maximum output for extended periods of time.

- LONG THROW FLOOD LIGHT
- COOLING FAN TECHNOLOGY
- AGGRESSIVE KNURLING / SHOULDER SLING

Battery: Custom 8 Cell 18650 (3400 mAh)

Length: 307mm Size:

Bezel Diameter: 90 mm

Body Diameter: 50 mm | Tail cap: 50 mm

3.75 lbs (with battery) Weight:

Output / Runtime:

Medium 950 Lumens

15 hrs 2.7 hrs

4200 Lumens

High 10,500 Lumens

1.7 hrs

Strobe

10,500 Lumens

3.4 hrs

10,500 Lumens

S.O.S

FL1 STANDARD











All performance data are results of testing to ANSI / NEMA FL1-2019 Standards

- (1) X10K FLASHLIGHT
- (1) 100-240V MAGNETIC CHARGER
- (1) SHOULDER SLINK
- REPLACEMENT O-RINGS







GUARDSMAN

FULL SIZE PATROL / SEARCH FLASHLIGHT

The Guardsman is Powertac's new entry in the full size "patrol" light category. The large aluminum body of the Guardsman allows for a traditional underarm hold. Guardsman is also the perfect tool for removing window glass from a vehicle. It features a simple one button interface. The 3200 lumen bright light is the perfect compromise for excellent situational awareness and impressive long range performance.

- X-TREME LIGHT OUTPUT
- EASY USE INTERFACE
- LONG THROW
- NEW CHARGING STATION

Battery: 6.4V/6000mAh Rechargeable Li-ion Battery Pack

Size: Length: 325.4mm

Bezel Diameter: 57mm Body Diameter: 38.1mm

Weight: 452g(without battery)

Output/Runtime:

Firefly Low Medium High Turbo Strobe
2 Lumens 52 Lumens 400 Lumens 1350 Lumens 3200 Lumens 3200 Lumens 1500 hrs 78 hrs 9 hrs 2.9hrs 2.2 hrs 5 hrs

All performance data are results of testing to ANSI / NEMA FL1-2019 Standards

13200 LUMENS











- (1) DEFENDER FLASHLIGHT
- (1) 100-240V CHARGING STATION
- REPLACEMENT O-RINGS











LONG GUNLIGHTING


VERSITILE AND DYNAMIC

Powertac offers a comprehensive line of Long Gun Mounted light options. We offer weapon mount and pressure switch options for all the following models: Cadet, E9, Warrior and Huntsman. Cadet Series is our smallest and lightest option when size and weight are critical. E9 Series is an optimal choice and most versatile option for size and illumination combination. Warrior Series is a better choice for battlefield. Huntsman Series is perfect for long range application like snipers and hunters.

CADET Series



- Perfect for SBR's and Compact Rifle Systems
- Simple on / off momentary design
- Mount / Light / Switch / Battery weighs only 4.5 oz





E9 Series



- Perfect for Standard Size and Compact Rifle Systems
- Simple on / off momentary design
- Additional Steady on button on Pressure Switch
- Mount / Light / Switch / Battery weighs only 6.2 oz







WARRIOR Series



- Perfect for Standard Size Rifle Systems
- Simple on / off momentary design
- Additional Steady on button on Pressure Switch
- Mount / Light / Switch / Battery weighs only 9.4 oz








HUNTSMAN Series

- Perfect for All Size Rifle Systems.
 Extremely Compact Low Profile.
 Simple on / off momentary design
 Additional Steady on button on Pressure Switch



- Perfect for Snipers/Hunters Rifle System.
 Simple on / off momentary design
 Additional Steady on button on Pressure Switch



MOUNTS ESWITCHES

ADAPTIVE RAIL MOUNT SYSTEMS




23/30 mm Offset Mount



23 - 30 mm Straight mount





TRAFFICCONES

AMBER TRAFFIC <u>SAFETY SLIP OVER CONES</u>

Most of Powertac's flashlights have traffic cones as an optional accessory Great for emergency stop warning and directing traffic.



COLORFILTERS SLIP OVER COLOR FILTERS

Powertac Slip on Color Filters are a perfect solution to change the color of your light depending on the situation.



LARGER FLASHLIGHT MOUNTING SOLUTIONS

These industrial mounts where designed for the X10K and Pathfinder but can be adapted to any large light such as the Watchdog or Patrolman





BATTERIES

POWERTAC BATTERY SOLUTIONS

Powertac works with the best battery manufacturers around the world to provide high quality batteries that can support cutting edge requirements from using the latest LED's and circuits. Everything from CR123A to custom rechargeable battery packs.

We pride ourselves on producing products that are trusted by law enforcement, military & trade professionals and outdoor enthusiasts. Using the best quality components and the latest technology, we manufacture lights that will hold up under the most stressful conditions, backed with our lifetime warranty.



/user/OfficialPowerTac



@PowerTac



@powertaclights





@powertaclights



@powertac

Phone: (919) 239-4470 Email: SALES@POWERTAC.COM

POWERTAC.COM